



# Standards and Process Concerning Exhibitors Bringing Their Special Booth Constructors at the 7<sup>th</sup> China International Import Expo

## 1. Standards for Special Booth Constructor

The following conditions are the minimum standard for exhibitors selecting the recommended provider of special booth construction service at China International Import Expo (CIIE).

1. The Independent Constructor must be an entity with independent legal personality within the territory of the People's Republic of China (excluding Hong Kong SAR, Macao SAR, and Taiwan, hereinafter referred to as "within the territory of China"), with valid business license or other legal person organization certificate.
2. No record of violation of laws and regulations in the past three years (refer to the "Credit China" website, the National Enterprise Information Publicity System, and the China Enforcement Information Disclosure Network for details).
3. Anyone who has any of the following situations during previous CIIEs will not be allowed to participate in the audit of Independent Special Booth Constructors.
  - 1) Those who are subject to administrative penalties by relevant government departments at the site of the CIIE;
  - 2) Those who fail to pass the assessment of the sponsor (organizer) of the CIIE;
  - 3) Those who actively applied for giving up the signing of the special booth construction contract for the CIIE.

## 2. Process of applying for bringing Special Booth Constructor

1. Fill in the Application for Independent Special Booth Constructor and send it to the designated email at [es@ciie.org](mailto:es@ciie.org), mark the subject of the email with "Apply for Independent Special Booth Constructor". Application Deadline: 17:00, September 15, 2024 (subject to email time).
2. Submitted data will be reviewed by the operation coordination team. The Independent Special Booth Constructor should, within 15 natural days after receiving the result of the approval, pay the deposit of RMB 350,000 to the organizer, the National Exhibition and Convention Center (Shanghai). The deposit shall be returned to the original account without interest after the settlement of the exhibition.
3. According to the conference, the green exhibition layout shall be fully implemented. All approved Independent Special Booth Constructors should comply with the Criteria for Green China International Import Expo. All approved independent special booth constructors have to pay the deposit of RMB 350,000 to the conference and follow various regulations such as the Regulations on Violation of Special Booth Constructors of China International Import Expo.

Attachments:

1. Application for Independent Special Booth Constructor
2. Flow chart for Independent Special Booth Constructor
3. Green booth standard (See Exhibitor Manual for details)
4. Rules for Handling Violations of Special Booth Constructor at China International Import Expo

## Attachment 1: Application for Independent Special Booth Constructor

Please return this form by Sep. 15, 2024 (the form can be downloaded online but online fill-out is not available)

Application for Independent Special Booth Constructor	
Exhibitor Info.	
Company Name:	Person in Charge of the Booth:
Booth No.:	Tel:
Coverage:	Mobile:
Email:	Fax:
Independent Special Booth Constructor Info.	
Company Name:	Person in Charge of the Set-up:
Tel:	Mobile:
Fax:	Email:
Documents submitted by the special booth constructor (attached to this form and affixed with official seals and seals on the perforation)	
An entity with independent legal personality within the territory of the People's Republic of China (excluding Hong Kong SAR, Macao SAR, and Taiwan, hereinafter referred to as "within the territory of China")	
Exhibitor Signature/Seal:	Constructor Signature/Seal:
Date: , 2024	Date: , 2024
Please return this form to the Organizers by the following means.	
Email:	<a href="mailto:es@ciie.org">es@ciie.org</a>

Note: The subject of the email shall be "Application for Independent Constructor".

## Attachment 2: Flow chart for Independent Special Booth Constructor

---



Note: The exhibitor, after submitting the materials for review and the materials about its Independent Special Booth Constructor are found to be incomplete, shall submit the complete materials within three natural days upon receipt of the email notification of the organizer for additional materials. Otherwise, it will be deemed invalid.

## Attachment 3: Green Booth Standard

---

The “6R concept” shall be followed throughout.

### **Respect:**

Respect should be paid to natural ideas and ways of thinking. Try to minimize the impact of exhibition work on the environment, including the site and people, and avoid the excessive use of resources and energy.

### **Renew (Using renewable and new materials):**

Use as many renewable materials as possible for the exhibit, and encourage the use of new materials, products and technologies.

### **Reuse and Recycle (reusable and recyclable materials):**

Try to use as many “reusable and recyclable materials” as possible for the construction of booths.

### **Reduce (reducing waste and pollutants):**

Reduce the negative impact of booth construction on the environment, use fewer substances harmful to human health but more non-hazardous materials for energy saving and reducing pollution and waste.

### **Remember (enhancing memory and education):**

Raise the awareness of sustainable development and environmental consciousness on the part of units or individuals participating in the exhibition through educational means.

## I. Green Design

1. Simplify design. Abandon the rich and luxurious decoration concept, pursue simplification in the booth space structure and partition volume design, highlight subtle changes in texture and color, and save on materials and workmanship.
2. Recyclable display design. A unique display image identification system is designed for exhibitors. Unique standard exhibition tools and an exhibition system allowing repeated use will be designed for the exhibitors, enabling long-term, stable, repeated implementation in the coming years. While creating a unified corporate brand image can be created, the connotation of modern green enterprises is also presented.
3. Environmental protection material utilization design. The materials used in the exhibit design shall be environmentally friendly, including natural materials, the artificial production of biodegradable materials, recycling materials, as well as purification materials.
4. Dismountable display design. Try to use more exhibition tools that are easy to dismount, load and unload, and transport.
5. Modular design. Designers, on the basis of dismountable display tools, should launch assembly modules of various styles according to the different exhibition environment, exhibition hall area, and cost, for customers to choose from or modify or reorganize, so as to offer the most efficient service, improve efficiency, and cut prophase labor consumption.
6. Safety design. All designs must pass the safety auditing of CIIE on fire protection, structure, electricity, and other aspects.

7. Other designs. Designers can draw on the bionic design, green landscape design, and emotional experience design. And they are expected to finish the green design with a high sense of social responsibility and in an innovative spirit.

\* Note: The height limit of a single-story booth is 6 meters, and the height of a double-story booth is 8.5 meters.

## II. Green Material

1. The booths are to be built with renewable and recyclable, non-toxic and harmless environmentally-friendly materials, which are up to A or B standards:
  - A. Pure metal structure:** Decorative materials used should be less than 10% of the total construction materials (calculated by volume), and should all be non-wood materials, with the construction materials recovery reaching 100%.
  - B. Hybrid material structure:** Wood material used should account for less than 30% (by volume) of the total construction material, and the recovery rate of construction material should be 100%.
2. Light, easy to dismount, easy to load and unload, and easy to transport.
3. No less than 80% utilization rate of energy-saving lamps.
4. Special instructions on single-story green booth
  - I. A pure metal structure: Not a piece of wood material is used for the main structure of the whole booth; B mixed material structure, one side of the main structure can adopt wood material, the other sides can choose groove plate or PVC display board.
  - II. The wood material used in the modular floor assembly on site is not counted in the 30% wood material.
  - III. The booth can use metal punching plates, hanging nets, and other materials.
  - IV. The showcase inside the booth, with the premise that the safety structure will not be damaged, is suggested to be movable (separated from the main structure), and should not overlap and increase height. Independent floor cabinets that are not constructed at the exhibition hall are not included in the 30% wooden material.
  - V. Exhibition lintel should not be made of wood material, but can be made of profiles as a frame structure. The exterior decoration should be made of plexiglass or light cloth.
5. Special instructions on two-story green booth
  - I. On the premise of ensuring the structural safety of the main structure of the first floor, steel, and other profiles are allowed for wood structure (including PVC display board) on both sides of the back panels. The other two sides and the four sides of the second floor (including the rooms) should be made of non-wood materials.
  - II. The wood materials used in the on-site modular assembly of the first and second-floor panels are not counted in the 30% wood materials.
  - III. Design of metal punching plates and hanging nets is allowed for the booth.
  - IV. The showcase inside the booth, with the premise that the safety structure will not be damaged, is suggested to be movable (separated from the main structure), and should not overlap and increase height. Independent floor cabinets that are not constructed at the exhibition hall are not included in the 30% wooden material.
  - V. Exhibition lintel should not be made of wood material, but can be made of profiles as a frame structure. For the exterior decoration, plexiglass or light cloth can be used.

6. In selecting structural base materials (including but not limited to joinery board, density board, decorative panel, etc.) and decorative table materials (including but not limited to fireproof board, aluminum-plastic board, etc.) for the building of booths, make sure that the selected wood material perforation extraction method formaldehyde emission is less than 9mg/100g; it is suggested to choose coatings without adding formaldehyde, benzene and other volatile organic compounds (VOC); and adhesives used in the construction process must be up to environmental standards.

### **III. Green and safe construction**

1. On-site assembly should mainly use modules and components; construction and dismantling should be orderly, controllable, convenient, safe, and quick.
2. No damage to personnel, exhibition venue, equipment, and facilities.
3. No large area of dust on the construction site, dust diffusion should be confined to the booth. Construction noise no more than 75 decibels; polish, roll paint or spray paint on the construction site prohibited; cutting machines and electric saws not allowed.
4. No illegal construction at the construction site.

## **Attachment 4: Regulations of China International Import Expo on Handling the Violations of Special Booth Constructors**

---

These regulations are hereby formulated to strengthen the management of special decorations further, handle the accidents seriously, reduce the safety risks for China International Import Expo, improve the special booth construction services and ensure the safety in special booth construction.

### **1. Potential Users**

These regulations shall apply to all constructors with special booth construction qualifications undertaking the special booth construction during the CIIE.

### **2. Handling Rules**

During the China International Import Expo (including early-stage docking, construction, and on-site security), any violations specified by the main (contractor) organizer of the special booth constructor will be subject to the Rules of China International Import Expo on Handling the Violations of Special Booth Constructors.

### **3. Handling Mechanism**

#### **3.1 Preliminary preparation stage**

When the special booth constructor cooperates with the sponsor (organizer) to complete the preparatory work, if there are including but not limited to drawing declaration, safety education and training, information collection, and other aspects that are not implemented as required and violations occur, the sponsor (organizer) will verify and make corresponding disposals. The specific disposal results are subject to the Violation Record Sheet of Special Booth Constructors of China International Import Expo.

Once the violation is verified, the sponsor (organizer) will send a stamped version of the violation record (electronic scanned copy) to the contact person designated by the special booth constructor. The contact person must accept and deal with the relevant handling results on behalf of the company and return the violation record sheet signed by the contact person or stamped by the construction unit to the sponsor (organizer). The sponsor (organizer) will keep the file for the record and use it as the basis for the annual assessment of the special booth constructor.

#### **3.2 On-site inspection stage**

When the special booth constructor cooperates with the sponsor (organizer) to complete the on-site construction, if any aspects, including but not limited to structural safety, construction safety, electricity safety, fire safety, and epidemic prevention safety are not implemented as required, after the on-site joint inspection team or its subordinate service providers inspected and verified by the sponsor (organizer), they will take corresponding measures. The specific handling results are subject to the Violation Record Sheet of Special Booth Constructors of China International Import Expo.

Once the violation is verified, the sponsor (organizer) will interview the designated contact person of the special booth constructor on site. The contact person must accept and deal with the relevant handling results on behalf of the construction unit, and the sponsor (organizer) will keep the file for record and serve as the basis for the annual assessment of the special booth constructor.

Attachment 4-1

Violation Record Sheet of Special Booth Constructors of China  
International Import Expo

No.:2024CIIE\*\*\*\*\*

Inspection time		Booth No.	
Exhibitor name			
Handling opinion	In view of your company's failure to make rectifications in accordance with the relevant requirements of the sponsor (organizer) and its service providers, according to Article_____of the Regulations of China International Import Expo on Handling the Violations of Special Booth Constructors, a total of_____points will be deducted and the security deposit of RMB_____will be deducted.  Your company is hereby ordered to complete the rectification as required by_____, 2024.		
Additional remarks			
Main site/drawing confirmation		Confirmation of special booth constructor	
Confirmation of operation coordination team			
Note: 1. This record sheet is in two copies, which shall be retained by the Operation Coordination Team and the Service Provider; 2. The service provider confirms that it must be stamped with the company's official seal or signed by the designated contact person in the contract; 3. If the special booth constructor refuses to confirm, and can attach relevant certificates (system data, on-site photos, etc.) as a basis, it will be deemed that the special booth constructor has confirmed.			
The first copy: Retained by the Operation Coordination Team			

Violation Record Sheet of Special Booth Constructors of China  
International Import Expo

No.:2024CIIE\*\*\*\*\*

Inspection time		Booth No.	
Exhibitor name			
Handling opinion	In view of your company's failure to make rectifications in accordance with the relevant requirements of the sponsor (organizer) and its service providers, according to Article_____of the Regulations of China International Import Expo on Handling the Violations of Special Booth Constructors, a total of_____points will be deducted and the security deposit of RMB_____will be deducted.  Your company is hereby ordered to complete the rectification as required by_____, 2024.		
Additional remarks			
Main site/drawing confirmation		Confirmation of special booth constructor	
Confirmation of operation coordination team			
Note: 1. This record sheet is in two copies, which shall be retained by the Operation Coordination Team and the Service Provider; 2. The service provider confirms that it must be stamped with the company's official seal or signed by the designated contact person in the contract; 3. If the special booth constructor refuses to confirm, and can attach relevant certificates (system data, on-site photos, etc.) as a basis, it will be deemed that the special booth constructor has confirmed.			
The second copy: Retained by the Service Provider			



## Attachment 4-2

### Rules of China International Import Expo on Handling the Violations of Special Booth Constructors

No.	Assessment item	Penalty points (times/min)	Penalty amount (time/RMB)	Remarks
1	Failure to cooperate in completing relevant work within the specified time as required by the sponsor (organizer)	0.5	250	If any one of the accumulative violations reaches 2 times, from the 3rd time, 10 points will be deducted each time and a fine of RMB 5,000 will be imposed.
2	Those who are late to attend the meeting held by the sponsor (organizer)	1	500	
3	Absence from the meeting without justifiable reasons (including entrusting factory staff representatives to attend the meeting)	3	1500	
4	Failure to apply for personnel and vehicle certificates in a timely manner as required	3	1500	
5	Failure to submit the special booth construction contract or service agreement signed with the exhibitor as required	0.5	250	
6	Drawings are not marked as required, and the same problem has been repeatedly revised three or more times	1	500	
7	The application for supporting facilities does not conform to the drawings marked, or the drawings are marked, but the application for supporting facilities has not been submitted	0.5	250	
8	The booth undertaken by the company fails to submit the application for supporting facilities within the time specified by the conference without justifiable reasons.	3	1500	
9	The booths undertaken are not equipped with booth floor corners and warning tapes as required	0.5	250	
10	The booths undertaken are not equipped with sufficient anti-epidemic materials as required	0.5	250	
11	Failure to implement disinfection requirements for booths	1	500	
12	Failure to post the Mobile Scaffolding Acceptance Form in a prominent position of the scaffolding	1	500	
13	Construction workers are not wearing reflective vests with clothing with obvious company logos	0.5	250	
14	Special operators do not wear reflective vests that meet relevant requirements	0.5	250	
15	Construction workers entering the exhibition venue without wearing helmets and refusing to listen to persuasion	1	500	
16	Construction workers fail not to use labor protection equipment correctly and refuse to listen to persuasion	1	500	
17	Construction workers are not equipped with labor protection articles that meet national standards or industry standards	5	2500	
18	Failing to upload safety training records as required or failing to carry out the work related to the self-inspection of potential safety hazards within the specified time	0.5	250	
19	The backplane has not been beautified, and it has not been rectified in time as required	1	500	
20	Workers do not smoke in designated areas of the building	0.5	250	
21	being effectively complained during the service process by the exhibitor after verification	10	5000	
22	Failure to mark or modify drawings as required and refuse to rectify	10	5000	
23	Failure to upload certificates such as the "Safety Production Knowledge and Management Ability Assessment Certificate" as required	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
24	On-site construction materials do not match the declared drawings, and it is determined that they do not meet the green standards of the CIIE.	10	5000	

## Rules of China International Import Expo on Handling the Violations of Special Booth Constructors

No.	Assessment item	Penalty points (times/min)	Penalty amount (time/RMB)	Remarks
25	The on-site construction structure category does not match the declared drawings	10	5000	
26	The on-site construction structure category is inconsistent with the declared drawings, and it is determined that there is a potential safety hazard and refusal to rectify	20	60000	
27	Booth-related personnel such as security guards and electricians have no reason to leave their posts	10	5000	
28	The pictures in the booth do not comply with laws and regulations and have not been rectified within the specified time	10	5000	
29	Construction workers work after drinking	10	5000	
30	The booths undertaken are not equipped with fire extinguishers that meet the requirements	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
31	Construction materials block red lines such as fire exit or fire rolling shutter door	10	5000	
32	Booth display boards, construction materials, garbage blocking wall fire hydrant front	10	5000	
33	Illegal storage of flammable and explosive materials on the construction site	10	5000	
34	There are electrical fire hazards in the booth, such as wiring without pipes, exposed wires, and wiring near flammable materials	5	2500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
35	The booths undertaken by the company illegally use substandard materials for construction (construction materials do not meet B1 standards, etc.)	10	5000	
36	Conduct large-scale spraying operations in the hall with permission	20	60000	
37	Use flammable and explosive materials such as putty, banana oil, and other prohibited items and materials to build	20	60000	
38	The connection of various structural parts in the booth is not firm, and there are various hidden dangers of the booth structure, such as damage, deformation, cracking, loosening, and falling off, or the guard ladder and walkway are not firm	5	2500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
39	The truss structure does not use steel connection, or the connection is not standardized	10	5000	
40	When the truss rack uses the hoist to rise and fall during construction, if the following situations occur, penalties will be imposed according to the situation:			
	(1) No unified command on site	10	5000	
	(2) Ruler not used	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
	(3) The truss rack did not rise and fall smoothly as a whole	10	5000	
	(4) No warning zone or a warning tape on the scene	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
41	Operators of special operations and special booth equipment without or with false certificates	20	60000	

## Rules of China International Import Expo on Handling the Violations of Special Booth Constructors

No.	Assessment item	Penalty points (times/min)	Penalty amount (time/RMB)	Remarks
42	During hot work, if any of the following situations occur, penalties shall be imposed according to the corresponding circumstances:			
	(1) Work without a hot work permit or the hot work permit has expired without reapplying	10	5000	
	(2) The fire scene is not demarcated as a warning area, not clearly separated from combustibles, and equipped with effective fire prevention facilities, fire-fighting equipment, and tools	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
	(3) The electric welding machine is not placed in the designated place for operation, and the grounding wire of the live wire is incorrect	3	1500	
	(4) The welding machine power cord, welding cable, and the welding machine are not isolated by safety shields or protective plates	3	1500	
	(5) The shell of the electric welding machine is not grounded or connected to neutral, grounded and connected to neutral	3	1500	
	(6) The length of the power cord on the primary side of the electric welding machine exceeds 5m, the connection of the secondary line is loose, and there is a connector, and the length exceeds 30m	3	1500	
	(7) Building metal structures, pipes, etc. are used as secondary welding circuits	3	1500	
	(8) After the hot work, the hot worker and the guardian did not clean up the site thoroughly, extinguish the remaining fire, and conduct a safety inspection of the surrounding site	5	2500	
	(9) Use of open flames outside the designated hot zone	10	5000	
43	When working at heights, if any of the following situations occur, penalties will be imposed according to the corresponding circumstances:			
	(1) Mobile scaffolding is not fixed with brakes, or is not equipped with a working guardian	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
	(2) There is no protective railing on the upper operating surface of the mobile scaffolding	3	1500	
	(3) Use a ladder over 2m for climbing operations (confiscated directly on site, and returned after the exhibition)	3	1500	
	(4) When the mobile scaffold is moving, people stand on the operating platform	5	2500	
	(5) There is no safety warning area under the high work area, or there are people passing through	3	1500	
	(6) The area of the mobile operating platform exceeds 10m <sup>2</sup> , the height of the standing operating surface exceeds 5m, the aspect ratio is greater than 3:1, and the construction load exceeds (1) 5kN/m <sup>2</sup>	3	1500	
	(7) Scaffolding operation layer scaffolding is not fully paved or there is no one nearby to take care of	3	1500	
	(8) The life rope is not set in advance for the suspended work on the horizontal steel beam	3	1500	
	(9) When the second-floor exhibition structure was built to the second floor, the border protection was not followed up in time	10	5000	
44	When operating machinery and equipment, if any of the following situations occur, penalties shall be imposed according to the corresponding circumstances:			
	(1) The metal shell of the electrical equipment is not grounded	3	1500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
	(2) Electrical equipment exposed to electricity	5	2500	
	(3) The hand lift lacks safety devices such as a height limiter, overload alarm device, broken rope protection device, etc.	3	1500	

## Rules of China International Import Expo on Handling the Violations of Special Booth Constructors

No.	Assessment item	Penalty points (times/min)	Penalty amount (time/RMB)	Remarks
44	(4)Air compressor without protective cover	3	1500	
	(5)Class II hand-held tools are not used in field operations	3	1500	
	(6)The power cord of the hand-held power tool is not kept in the factory state, and it is used by itself.	3	1500	
	(7)The hand lift used for construction is overloaded	5	2500	
45	When using electricity in the booth, if any of the following situations occur, penalties shall be imposed according to the corresponding circumstances:			If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
	(1) Not using qualified electric boxes, etc., not standardizing the connection of electricity, water, and gas lines (pipes) in the booth	0.5	250	
	(2) The extension board is directly drawn from the secondary electrical box on the wall for use	3	1500	
	(3) Do not use an explosion-proof plug, directly connect the wire to the socket	5	2500	
	(4) The wires are dragged and pulled randomly, and the socket boards are connected in series	3	1500	
	(5)The electrical equipment is directly installed on the decoration materials whose combustion performance level is lower than B1	5	2500	
	(6) 220V illegal use of two-core wire, 380V illegal use of three-core wire, not grounded	3	1500	
	(7) The metal components of the booth are not grounded for protection	3	1500	
	(8) Illegal use of flexible cords	3	1500	
	(9) The wires in the booth are laid directly along the ground without flame retardant pipes	3	1500	
	(10) Use of electrical products that are prohibited by the state	3	1500	
	(11) The wire (cable) interface does not use terminals or switches, and there is a connection with insulating tape.	3	1500	
	(12) When the electrical line crosses the pedestrian walkway, the bridge plate protection is not used	3	1500	
	(13) Private exhibition hall gutter board, electric box or destruction of exhibition hall electric box	10	5000	
	(14) After the exhibition is closed on the same day, all booths that are not powered off	10	5000	
	(15)Booth electricity has potential safety hazards and refuses to rectify	20	60000	
46	Carrying mechanical equipment without authorization (wooden structure hand lifts are not counted as mechanical equipment)	5	2500	If this violation has accumulated two times, starting from the third time, 20 points will be deducted and a fine of RMB 10,000 will be imposed each time.
47	Failing to purchase the designated CIIE special insurance and upload the insurance policy and other certification materials as required	10	5000	
48	The service provider is subject to administrative penalties on the site of its cooperative factory	10	5000	
49	If a safety accident is caused by Party B, and such accident is classified as a "minor accident", meaning it causes minor injuries as determined by the relevant department.	10	5000	
50	The service provider subject to administrative penalties on site	20	60000	

## Rules of China International Import Expo on Handling the Violations of Special Booth Constructors

No.	Assessment item	Penalty points (times/min)	Penalty amount (time/RMB)	Remarks
51	After verification, the applicant shall apply for the certificates of personnel and vehicles unrelated to the construction and operation of the booth.	20	60000	
52	After verification, carry items unrelated to booth construction materials, tools, etc.	20	60000	
53	Failure to report to the sponsor (organizer) immediately in any situation that may be suspected of disrupting the order of the conference (for example, it is found that the displayed exhibits are obviously inconsistent with the theme of the exhibition area or the exhibit information provided by the exhibitors when designing the booth plan, etc.)	20	60000	
54	Undertaking without permission the renovation of standard booths, fascia boards, carpets, etc., or illegally renting and selling exhibition equipment in the museum or reselling foreign catering, etc.	20	60000	
55	Provision of false contracts or false materials	20	60000	
56	Subcontracting or agenting the venue without consent	20	60000	
57	There are fights, theft, labor disputes that seriously affect the order of the conference	20	60000	
58	Near-miss accidents at the booth due to on-site construction problems (near-miss accidents: events that do not cause occupational diseases, injuries, property damage or other losses)	20	60000	
59	Personal injury accidents caused by the construction unit and its entrants	20	60000	
60	Smoke accident due to construction quality reasons in the booth	20	60000	
61	The cracking, tilting, and collapse of the booth structure are caused by the weak main structure of the booth	20	60000	
62	Deliberately retaliate, intentionally or maliciously damage the property of the venue during work, and cause greater property loss or major adverse impact	20	60000	
63	If a safety accident is caused by Party B, and such accident is classified as a "general accident", meaning it causes serious injuries as determined by the relevant department, Party B shall be blacklisted from the expo and regular exhibitions for a period of 1 to 3 years and have its construction qualifications for the expo and regular exhibitions revoked for a period of 1 to 3 years, depending on the severity of the accident.			
64	If the construction enterprise has the above-mentioned violations that are not listed, and does not obey the main venue special booth constructor, drawing review service provider, venue property management, third-party regulatory agency, etc. hired by Party A, it will be dealt with according to the number of violations and the circumstances, point deductions ranging from 0-30 and fines ranging from RMB 500-300,000.			
Note: Those who have more than 20 points (exclusive) deducted in the current expo will be directly revoked their qualifications for special booth construction of CIIE and their qualifications to apply for subsequently recommended constructors. Meanwhile, depending on the seriousness of the situation, it will be included in the daily blacklist of NECC (Shanghai).				
		<b>Total Score:</b>		

Our company has carefully read the above contents, and promises to strictly abide by the regulations formulated by the CIIE (including but not limited to the Exhibitor Manual, etc.) and actively cooperate with relevant government departments, organizers and exhibition halls in supervision, inspection and management.

Meanwhile, our company would like to bear the corresponding responsibility and consequences according to these regulations in case of any aforesaid violations. Besides, any administrative penalty or other losses suffered by NECC (Shanghai) due to our violation of the aforesaid commitments shall be borne by our company..

Committed by (seal): \_\_\_\_\_

Legal Representative (signature or seal): \_\_\_\_\_

\_\_\_\_\_, 2024